

Local Biodiversity Strategy

Update Report 2019

Draft 1b - December 2019 prepared by the Shire of Serpentine Jarrahdale Original Strategy (2008) prepared by Ironbark Environmental



Contents

Executiv	e Summary	3
1. Intr	roduction	4
1.1	What is a Local Biodiversity Strategy?	4
1.2	The Shire of Serpentine Jarrahdale's Local Biodiversity Strategy	4
2. The	2008 Strategy	6
2.1	Summary of Findings	
2.2	Goals and Targets	6
2.3	Action Plan	
3. Imp	plementation of the 2008 Strategy	11
3.1	Update of Mapping and Vegetation Statistics	11
3.2	Status of Goals and Targets	13
3.3	Status of Action Plan	15
4. An	Update for 2019	19
4.1	Mapping and Statistics	19
4.2	Goals and Targets	19
4.3	Action Plan	21
5. Con	nclusions	24
6. Glo	ssary	25
7. Ref	erences	27
Appendi	ix 1: Threatened Ecological Communities (TECs)	28
Appendi	ix 2: Threatened and Priority Fauna	29
Appendi	ix 3: Threatened and Priority Flora	31
Appendi	ix 4: Location of Vegetation Complexes	32

Executive Summary

The purpose of this report is to review the implementation of the Shire of Serpentine Jarrahdale's Local Biodiversity Strategy (the Strategy) over the last ten years, and to propose a revised set of goals, targets and actions for the next ten years.

Despite ten years of implementation of the Local Biodiversity Strategy, the loss of natural areas in the Shire has only accelerated. Given the Shire's rapid and increasing development, remnant vegetation and biodiversity is under significant threat that has not abated despite the implementation of the Strategy. An updated and relevant Local Biodiversity Strategy is therefore essential if natural areas are to be retained and the variety of nature protected.

In 2006, the Shire committed to preparing a Local Biodiversity Strategy to protect local areas of bushland, wetlands and vegetated waterways. The major driver for the preparation of the original Strategy was community concern that existing environmental laws were often not being enforced and natural areas were being cleared and damaged as a result. The Local Biodiversity Strategy was adopted by Council in 2008.

The Strategy focused on 6333 ha of local natural areas in the Shire. These were areas of bushland and vegetated wetlands and waterways on private lands and local reserves. Natural areas controlled by the State Government, such as State Forest, National and Regional Parks, and State Reserves, are not considered by the Strategy as their management is a State responsibility which the Shire has little ability to influence. The Strategy emphasized that action was urgent in order to prevent the further loss of natural areas and protect the variety of nature for the long-term.

To halt the further loss of natural areas and conserve biodiversity, the Strategy proposed four goals to retain, protect and manage Local Natural Areas. A number of targets were proposed under each goal, and an action plan was established to achieve the goals and targets.

On analysis of the available data, it was found that over a period of seven years after the Strategy was produced (2010-2016), the area of vegetation lost was nine times that in the eight years previous (2002-2009). This apparent increase in vegetation loss may be partly due to two intervening changes in mapping methodology, but still represents a greatly increased rate of clearing.

As a review of the original Strategy, new goals and targets for the next ten years are proposed. These take into account the original goals and targets of the 2008 Strategy, but reorganize them into Focus Areas with targets to retain, protect and enhance the values of the specific focus area. A new action plan is proposed, to achieve the new goals and targets.

Given that the Shire is undergoing rapid and increasing development, the Shire's remnant vegetation and biodiversity is under significant threat as this development proceeds. It is therefore essential that the Shire have an updated and relevant Local Biodiversity Strategy to guide the retention, protection and enhancement of its remnant vegetation and biodiversity into the future.

1. Introduction

The purpose of this report is to review the implementation of the Shire of Serpentine Jarrahdale's Local Biodiversity Strategy (the Strategy) over the last ten years, and to propose a revised set of goals, targets and actions for the next ten years.

This update is provided as a report rather than a revision of the entire Strategy, as the majority of the information provided in the Strategy is still current. To continue implementation of the Strategy, it is only necessary to report on and update the remnant vegetation statistics, the listing of Threatened species and communities, and the Strategy's goals, targets and actions.

The 2008 Strategy should be consulted for additional information to supplement the brief contents of this report. A map of the location of vegetation complexes is provided in Appendix 4.

1.1 What is a Local Biodiversity Strategy?

A Local Biodiversity Strategy is a non-statutory document that sets long-term targets and short-term actions to protect significant natural areas across public and private lands. It is complementary to existing environmental and planning laws, but does not replace them.

A Local Biodiversity Strategy applies to Local Natural Areas (LNAs), Bush Forever areas in private ownership, and Bush Forever areas under Council management. Local Natural Areas are the areas of native vegetation outside of the public conservation estate or Bush Forever areas, and are generally found on private land and local reserves.

Natural areas controlled by the State Government (such as State Forest, National and Regional Parks, and State Reserves) are not considered by a Local Biodiversity Strategy as their management is a State responsibility which the Shire has little ability to influence. A Local Biodiversity Strategy focuses on Local Natural Areas for which the Shire has responsibility or which are privately owned.

Local Biodiversity Strategies, however, should form part of and be set in the context of local or regional planning. State Planning Policy 2.8 Bushland Policy for the Perth Metropolitan Region (SPP2.8) provides a policy and implementation framework to ensure protection and management issues are appropriately addressed.

1.2 The Shire of Serpentine Jarrahdale's Local Biodiversity Strategy

In 2006, the Shire committed to preparing a Local Biodiversity Strategy to protect local areas of bushland, wetlands and vegetated waterways, especially where they have significant ecological features. The Strategy was developed in accordance with guidelines produced by the WA Local Government Association (WALGA) and the associated Perth Biodiversity Project (PBP).

The major driver for the preparation of the Strategy was community concern that existing environmental laws were often not being enforced and natural areas were being cleared and damaged as a result. Many of these laws are enforced by the State government according to state and regional priorities, and often do not address local concerns. Another factor was the lack of resources to enforce local laws and planning conditions. The intent of the Strategy was to set local priorities and laws that could be enforced through the Local Planning Scheme.

The Local Biodiversity Strategy was adopted by Council in 2008. It is therefore timely that a ten-year update be carried out, particularly in light of the ongoing loss of Local Natural Areas.

During the ten years in which the Local Biodiversity Strategy has been operational, a number of other Shire strategies and policies have been developed which intersect with this Strategy in terms of common goals and implementation of actions (either in terms of preparation to implement actions from other documents, or of common actions arising from different purposes). These include:

- Biodiversity Incentives Strategy
- Biodiversity Planning Policy
- Climate Change Strategy and Local Action Plan
- Natural Assets Management Plan
- Weed and Pest Management Plan
- Urban and Rural Forest Strategy
- State of the Environment Report

1.3 Structure of this Report

This report will review the implementation of the Shire's Local Biodiversity Strategy over the last ten years, and propose a revised set of goals, targets and actions for the next ten years. The structure of the report is as follows:

- Summary of the findings of the 2008 Strategy, and its goals, targets and actions (Chapter 2)
- Report on the implementation of the 2008 Strategy (Chapter 3)
- Updated statistics, goals, targets and actions for 2019 (Chapter 4)
- Updated listing of Threatened and Priority Ecological Communities, Fauna and Flora (Appendices 1 – 3)

2. The 2008 Strategy

2.1 Summary of Findings

The Local Biodiversity Strategy (the 2008 Strategy) presented a number of proposals for greater protection and management of natural areas throughout the Shire. It was developed over a 12-month process including a 3-month public comment period.

The Strategy focused on 6333 ha of natural areas in the Shire – areas of bushland and vegetated wetlands and waterways on private lands and local reserves. 5986 ha of these natural areas were on private lands, making the support of landowners critical to the implementation of the Strategy.

"The Shire is within one of the world's 25 biodiversity hotspots, recognised because of the diversity of species, their uniqueness and the threats our bushland is under.... These biodiversity values are especially important in the corridor between Byford and Keysbrook, which forms part of the eastern side of the Swan Coastal Plain.

"Natural areas and biodiversity in the Shire have been significantly impacted since European settlement, especially on the coastal plain and foothills. On land west of South West Highway, only 4503 ha (or 11%) of the original 40,466 ha of native vegetation remains. This level of overclearing, coupled with the impact of feral animals and other degrading processes, has resulted in significant local extinction of mammals and birds and the deterioration of bushland and wetlands. It has also contributed to the pollution of downstream rivers and the Peel-Harvey-Estuary." Local Biodiversity Strategy, p.7

The 2008 Strategy emphasized that action was urgent in order to prevent the further loss of natural areas and protect the variety of nature for the long-term. The Shire is going through a massive growth phase and it is estimated that by 2036 the population will more than triple to 68,335 residents (having already doubled from 13,246 in 2006 to 29,361 in 2017). This phenomenal growth poses a significant challenge to the conservation of biodiversity, but also provides a number of opportunities as land use changes from rural to more intensive uses.

2.2 Goals and Targets

The 2008 Strategy proposed four goals to retain, protect and manage Local Natural Areas:

Retention

Goal 1: Prevent the further loss of Local Natural Areas. This goal aims to retain at least 4000 hectares of Local Natural Areas in the Shire.

Protection

- Goal 2: Protect and manage a portion of each basic type of vegetation and ecosystem typical of the Shire. Approximately 1690 hectares of Local Natural Area would be protected to meet this goal.
- Goal 3: Protect specific ecological features and processes including rare species, threatened ecological communities, wetland vegetation and ecological linkages throughout the Shire.

Management and restoration

Goal 4: Manage and restore Local Natural Areas and revegetate new areas to increase native fauna habitat.

A number of targets were proposed under each goal (Table1).

Table 1: Goals and Targets of the 2008 Local Biodiversity Strategy

No. Target	species al nire.	
Retain an estimated 4000 hectares (of 4522 ha) of Local Natural Areas in the Shire.	species al nire.	
Natural Areas in the Shire. Retain an estimated 4000 hectares (of 4522 ha) of Local Natural Areas in the Shire, and only all clearing in exceptional circumstances. This includes retention of: All Verified Natural Areas and parkland-treed areas that support a) Carnaby's Cockatoo, b) Eucalyptus lane-poolei, or c) Eucalyptus laeliae. These are designated locally characteristic under the Local Biodiversity Strategy. B All Verified Natural Areas and other native vegetation that occurs within Regional Ecologic Linkages. These are to provide ecological stepping stones throughout the Shire. Protection Goal 2: Protect and manage a portion of each basic type of vegetation and ecosystem typical of the Shapproximately 1690 hectares of Local Natural Area would be protected to meet this goal. Protection of a minimum area of each of the vegetation types found in the Shire (representation targets): These targets are designed to protect a given percentage of each of the basic types of ecological communities found in the Shire. A Bassendean Central and South Complex B Beermullah Complex C Dardanup Complex D Guildford Complex P Guildford Complex P Southern River Complex P Southern River Complex D Forrestfield Complex D Parling Scarp Complex S 8 ha (of 51 ha) C Cooke Complex D All Verified Natural Areas and parkland-treed areas that support a) Carnaby's Cockatoo, b) Eucalyptus Individual Carnaby's Cockatoo, b) P All Verified Natural Areas and parkland-treed areas that support a) Carnaby's Cockatoo, b) Eucalyptus Individual Carnaby's Cockatoo, b) Eucalyptus	species al nire.	
Retain an estimated 4000 hectares (of 4522 ha) of Local Natural Areas in the Shire, and only all clearing in exceptional circumstances. This includes retention of: All Verified Natural Areas and parkland-treed areas that support a) Carnaby's Cockatoo, b) Eucalyptus lane-poolei, or c) Eucalyptus laeliae. These are designated locally characteristic under the Local Biodiversity Strategy. All Verified Natural Areas and other native vegetation that occurs within Regional Ecologic Linkages. These are to provide ecological stepping stones throughout the Shire. Protection Goal 2: Protect and manage a portion of each basic type of vegetation and ecosystem typical of the St Approximately 1690 hectares of Local Natural Area would be protected to meet this goal. Protection of a minimum area of each of the vegetation types found in the Shire (representation targets): These targets are designed to protect a given percentage of each of the basic types of ecological communities found in the Shire. Bassendean Central and South Complex Beermullah Complex Condidord Complex Dardanup Complex 12 ha (of 40 ha) Condidord Complex Protection Goal Complex 12 ha (of 680 ha) Forrestfield Complex 172 ha (of 680 ha) Cooke Complex Darling Scarp Complex Sas ha (of 2,100 ha) Cooke Complex On ha (of 900 ha)	species al nire.	
clearing in exceptional circumstances. This includes retention of: 1	species al nire.	
This includes retention of: 1A	al nire.	
 All Verified Natural Areas and parkland-treed areas that support a) Carnaby's Cockatoo, b) Eucalyptus lane-poolei, or c) Eucalyptus laeliae. These are designated locally characteristic under the Local Biodiversity Strategy. All Verified Natural Areas and other native vegetation that occurs within Regional Ecologic Linkages. These are to provide ecological stepping stones throughout the Shire. All riparian vegetation in the Shire. Protection Goal 2: Protect and manage a portion of each basic type of vegetation and ecosystem typical of the Shapproximately 1690 hectares of Local Natural Area would be protected to meet this goal. Protection of a minimum area of each of the vegetation types found in the Shire (representation targets): These targets are designed to protect a given percentage of each of the basic types of ecological communities found in the Shire. Bassendean Central and South Complex Bassendean Central and South Complex Dardanup Complex Guildford Complex Guildford Complex Serpentine River Complex Serpentine River Complex Tot ha (of 680 ha) Grorestfield Complex Darling Scarp Complex Cooke Complex O ha (of 900 ha) 	al nire.	
Eucalyptus lane-poolei, or c) Eucalyptus laeliae. These are designated locally characteristic under the Local Biodiversity Strategy. 1B • All Verified Natural Areas and other native vegetation that occurs within Regional Ecologic Linkages. These are to provide ecological stepping stones throughout the Shire. 1C • All riparian vegetation in the Shire. Protection Goal 2: Protect and manage a portion of each basic type of vegetation and ecosystem typical of the St Approximately 1690 hectares of Local Natural Area would be protected to meet this goal. 2 Protection of a minimum area of each of the vegetation types found in the Shire (representation targets): These targets are designed to protect a given percentage of each of the basic types of ecological communities found in the Shire. 2A Bassendean Central and South Complex 2B Beermullah Complex 2D Guildford Complex 2D Serpentine River Complex 2D Southern River Complex 2D Forrestfield Complex 2D Darlaing Scarp Complex 2D Darling Scarp Complex 2D Oarlaing Scarp Comp	al nire.	
under the Local Biodiversity Strategy. 1B • All Verified Natural Areas and other native vegetation that occurs within Regional Ecologic Linkages. These are to provide ecological stepping stones throughout the Shire. 1C • All riparian vegetation in the Shire. Protection Goal 2: Protect and manage a portion of each basic type of vegetation and ecosystem typical of the Sh Approximately 1690 hectares of Local Natural Area would be protected to meet this goal. 2 Protection of a minimum area of each of the vegetation types found in the Shire (representation targets): These targets are designed to protect a given percentage of each of the basic types of ecological communities found in the Shire. 2A Bassendean Central and South Complex 2B Beermullah Complex 20 ha (of 40 ha) 2C Dardanup Complex 12 ha (of 148 ha) 2D Guildford Complex 96 ha (of 611 ha) 2E Serpentine River Complex 172 ha (of 680 ha) 2F Southern River Complex 101 ha (of 266 ha) 2H Darling Scarp Complex 583 ha (of 2,100 ha) 2l Cooke Complex 0 ha (of 900 ha)	nire.	
 All Verified Natural Areas and other native vegetation that occurs within Regional Ecologic Linkages. These are to provide ecological stepping stones throughout the Shire. All riparian vegetation in the Shire. Protection Goal 2: Protect and manage a portion of each basic type of vegetation and ecosystem typical of the Sh Approximately 1690 hectares of Local Natural Area would be protected to meet this goal. Protection of a minimum area of each of the vegetation types found in the Shire (representation targets): These targets are designed to protect a given percentage of each of the basic types of ecological communities found in the Shire. Bassendean Central and South Complex Beermullah Complex Dardanup Complex Guildford Complex Guildford Complex Serpentine River Complex Southern River Complex To ha (of 680 ha) Forrestfield Complex Darling Scarp Complex Cooke Complex O ha (of 900 ha) 	nire.	
Linkages. These are to provide ecological stepping stones throughout the Shire. 1C ◆ All riparian vegetation in the Shire. Protection Goal 2: Protect and manage a portion of each basic type of vegetation and ecosystem typical of the Sh Approximately 1690 hectares of Local Natural Area would be protected to meet this goal. 2 Protection of a minimum area of each of the vegetation types found in the Shire (representation targets): These targets are designed to protect a given percentage of each of the basic types of ecological communities found in the Shire. 2A Bassendean Central and South Complex 2B Beermullah Complex 20 ha (of 40 ha) 2C Dardanup Complex 12 ha (of 148 ha) 2D Guildford Complex 96 ha (of 611 ha) 2E Serpentine River Complex 8 ha (of 51 ha) 2F Southern River Complex 172 ha (of 680 ha) 2G Forrestfield Complex 101 ha (of 266 ha) 2H Darling Scarp Complex 583 ha (of 2,100 ha)	nire.	
Protection Goal 2: Protect and manage a portion of each basic type of vegetation and ecosystem typical of the Sh Approximately 1690 hectares of Local Natural Area would be protected to meet this goal. Protection of a minimum area of each of the vegetation types found in the Shire (representation targets): These targets are designed to protect a given percentage of each of the basic types of ecological communities found in the Shire. Bassendean Central and South Complex Beermullah Complex Complex Dardanup Complex Diadifford Complex Serpentine River Complex Protection and ecosystem typical of the Sh Approximately 10 he vegetation and ecosystem typical of the Sh Approximately 10 he (af 2,707 ha). Protection of a minimum area of each of the vegetation types found in the Shire (representation types f	onal	
Protection Goal 2: Protect and manage a portion of each basic type of vegetation and ecosystem typical of the Sh Approximately 1690 hectares of Local Natural Area would be protected to meet this goal. 2 Protection of a minimum area of each of the vegetation types found in the Shire (representation targets): These targets are designed to protect a given percentage of each of the basic types of ecological communities found in the Shire. 2A Bassendean Central and South Complex 2B Beermullah Complex 2C Dardanup Complex 2D Guildford Complex 2D Guildford Complex 2E Serpentine River Complex 2F Southern River Complex 2F Southern River Complex 2D Total (of 680 ha) 2F Southern River Complex 2D Total (of 680 ha) 2D Guildford Complex 2D Total (of 680 ha) 2D Guildford Complex 2D Total (of 680 ha) 2D Total (of 680 ha) 2D Guildford Complex 2D Guildford Complex 2D Southern River Complex 2D Total (of 680 ha)	onal	
Goal 2: Protect and manage a portion of each basic type of vegetation and ecosystem typical of the St Approximately 1690 hectares of Local Natural Area would be protected to meet this goal. 2 Protection of a minimum area of each of the vegetation types found in the Shire (representation targets): These targets are designed to protect a given percentage of each of the basic types of ecological communities found in the Shire. 2A Bassendean Central and South Complex 266 ha (of 2,707 ha) 2B Beermullah Complex 20 ha (of 40 ha) 2C Dardanup Complex 12 ha (of 148 ha) 2D Guildford Complex 96 ha (of 611 ha) 2E Serpentine River Complex 8 ha (of 51 ha) 2F Southern River Complex 172 ha (of 680 ha) 2G Forrestfield Complex 101 ha (of 266 ha) 2H Darling Scarp Complex 583 ha (of 2,100 ha) 2 Cooke Complex 0 ha (of 900 ha)	onal	
Approximately 1690 hectares of Local Natural Area would be protected to meet this goal. Protection of a minimum area of each of the vegetation types found in the Shire (representation targets): These targets are designed to protect a given percentage of each of the basic types of ecological communities found in the Shire. A Bassendean Central and South Complex Beermullah Complex C Dardanup Complex Dardanup Complex Dardanup Complex Serpentine River Complex Forrestfield Complex Darling Scarp Complex Darling Scarp Complex Cooke Complex Darlon (of 900 ha)	onal	
Protection of a minimum area of each of the vegetation types found in the Shire (representation targets): These targets are designed to protect a given percentage of each of the basic types of ecological communities found in the Shire. 2A Bassendean Central and South Complex 2B Beermullah Complex 2C Dardanup Complex 2D Guildford Complex 2D Guildford Complex 2E Serpentine River Complex 2F Southern River Complex 2D Total (of 680 ha) 2D Forrestfield Complex 2D Guildford Complex 2D Southern River Complex 2D Total (of 680 ha) 2D Guildford Complex 2D Southern River Complex 2D Southern River Complex 2D Total (of 680 ha) 2D Total (of 680 ha) 2D Total (of 6900 ha) 2D Cooke Complex 2D Darling Scarp Co		
targets): These targets are designed to protect a given percentage of each of the basic types of ecological communities found in the Shire. 2A Bassendean Central and South Complex 2B Beermullah Complex 2C Dardanup Complex 2D Guildford Complex 2D Guildford Complex 2E Serpentine River Complex 2F Southern River Complex 2F Southern River Complex 2D Darling Scarp Complex 2D Guildford Complex 2D Serpentine River Complex 2D Southern River Compl		
ecological communities found in the Shire. 2A Bassendean Central and South Complex 2B Beermullah Complex 2C Dardanup Complex 2D Guildford Complex 2E Serpentine River Complex 2F Southern River Complex 2G Forrestfield Complex 2D Darling Scarp Complex 2D Oguildford Com		
2ABassendean Central and South Complex266 ha (of 2,707 ha)2BBeermullah Complex20 ha (of 40 ha)2CDardanup Complex12 ha (of 148 ha)2DGuildford Complex96 ha (of 611 ha)2ESerpentine River Complex8 ha (of 51 ha)2FSouthern River Complex172 ha (of 680 ha)2GForrestfield Complex101 ha (of 266 ha)2HDarling Scarp Complex583 ha (of 2,100 ha)2ICooke Complex0 ha (of 900 ha)		
2BBeermullah Complex20 ha (of 40 ha)2CDardanup Complex12 ha (of 148 ha)2DGuildford Complex96 ha (of 611 ha)2ESerpentine River Complex8 ha (of 51 ha)2FSouthern River Complex172 ha (of 680 ha)2GForrestfield Complex101 ha (of 266 ha)2HDarling Scarp Complex583 ha (of 2,100 ha)2ICooke Complex0 ha (of 900 ha)		
2CDardanup Complex12 ha (of 148 ha)2DGuildford Complex96 ha (of 611 ha)2ESerpentine River Complex8 ha (of 51 ha)2FSouthern River Complex172 ha (of 680 ha)2GForrestfield Complex101 ha (of 266 ha)2HDarling Scarp Complex583 ha (of 2,100 ha)2ICooke Complex0 ha (of 900 ha)		
2DGuildford Complex96 ha (of 611 ha)2ESerpentine River Complex8 ha (of 51 ha)2FSouthern River Complex172 ha (of 680 ha)2GForrestfield Complex101 ha (of 266 ha)2HDarling Scarp Complex583 ha (of 2,100 ha)2ICooke Complex0 ha (of 900 ha)		
2ESerpentine River Complex8 ha (of 51 ha)2FSouthern River Complex172 ha (of 680 ha)2GForrestfield Complex101 ha (of 266 ha)2HDarling Scarp Complex583 ha (of 2,100 ha)2ICooke Complex0 ha (of 900 ha)		
2FSouthern River Complex172 ha (of 680 ha)2GForrestfield Complex101 ha (of 266 ha)2HDarling Scarp Complex583 ha (of 2,100 ha)2ICooke Complex0 ha (of 900 ha)		
2GForrestfield Complex101 ha (of 266 ha)2HDarling Scarp Complex583 ha (of 2,100 ha)2ICooke Complex0 ha (of 900 ha)		
2HDarling Scarp Complex583 ha (of 2,100 ha)2ICooke Complex0 ha (of 900 ha)		
2I Cooke Complex 0 ha (of 900 ha)		
Dwellingup 1 Complex 47 ha (of 10.536 ha)		
Dwellingup 2 Complex 122 ha (of 10,676 ha)		
Goonaping Complex 16 ha (of 283 ha)		
Helena 1 Complex 1 ha (of 592 ha)		
Murray 1 Complex 133 ha (of 6,996 ha)		
Swamp Complex 15 ha (of 1,670 ha)		
Yarragil 1 Complex 66 ha (of 4,224 ha)		
Yarragil 2 Complex 32 ha (of 5,694 ha)		
Goal 3: Protect specific ecological features and processes including rare species, threatened ecological	l	
communities, wetland vegetation and ecological linkages throughout the Shire.		
Protection of specific biodiversity features (specific biodiversity feature targets), such as rare a	ınd	
threatened species and protection of wetlands and waterways.		
3A Declared Rare Flora, Specially Protected Fauna and Priority Species: Protect all Verified Natur		
which contain Declared Rare Flora, Specially Protected Fauna and Priority One or Priority Two S	pecies	
or significant habitat for these species.		
3B Threatened Ecological Communities (TEC): Protect all Verified Natural Areas which contain		
Threatened Ecological Communities (TECs).		
3C Locally Characteristic Fauna and Flora: Protect all habitats (natural areas and parkland-treed a	-	
a) Carnaby's Cockatoo, b) Eucalyptus lane-poolei, or c) Eucalyptus laeliae where such habitat or		
properties proposed for development. These are designated locally characteristic species unde	r the	
Local Biodiversity Strategy.		
3D Wetlands and wetland vegetation: Protect all Verified Natural Areas which contain wetlands a		
wetland vegetation in good or better condition plus a buffer of upland vegetation.	nd	

No.	Target		
3E	Waterways and riparian vegetation: Protect 10% of Verified Riparian Natural Areas within 5 years		
	and 20% within 10 years.		
3F	Regional and Local Ecological Linkages: Protect 15% of natural areas on Regional Ecological Linkag		
	within 5 years. All other rivers and creeks in the Shire are to be regarded as Local Ecological Linkages.		
Mana	agement and restoration		
Goal	4: Manage and restore Local Natural Areas and revegetate new areas to increase native fauna habitat.		
4	Management and restoration of Local Natural Areas.		
4A	Prepare a 5-year Management Strategy for all natural areas vested or owned by Council within 3		
	years.		
4B	All natural areas under Council vesting or ownership are actively managed for conservation in		
	accordance with a 5-year Management Strategy within 8 years.		
4C	All significant development proposals provide a Natural Area Management Plan to restore and		
	manage biodiversity values on subject lands.		
4D	Half of all LNAs are actively managed for conservation or form part of a stewardship program within		
	20 years (i.e. approximately 2260 ha of 4521 ha).		
4E	Restore 10% of Verified Riparian Natural Areas within 5 years and 20% within 10 years.		
4F	Fence 20 kilometres of coastal plain Verified Riparian Natural Areas, or 10 hectares of riparian		
	vegetation, within 5 years, and restore and actively manage these areas.		
4G	Restore and actively manage 15% of natural areas on Regional Ecological Linkages within 5 years.		
4H	Where more than 500 metres exists between resilient natural areas on Regional Ecological Linkages,		
	support ecological revegetation projects to create habitat stepping stones along Regional Ecological		
	Linkages.		

2.3 Action Plan

The 2008 Local Biodiversity Strategy established an action plan to achieve its goals and targets (Table 2).

Table 2: Action Plan for the 2008 Local Biodiversity Strategy

No.	Action	Related Goals / Resourcing
	Actions 2008 - 2011	
	Strategy establishment and public awareness raising	
1	Consult the Department for Planning and	Goals 1, 2 and 3 and all related targets.
	Infrastructure, the Department of Environment and	Resources: Officer time; may require
	Conservation, and other relevant State Government	additional public consultation period.
	agencies, on appropriate mechanisms for achieving	
	local biodiversity targets.	
2	Incorporate the goals, targets and actions of the Local	Goals 1, 2 and 3 and all related targets.
	Biodiversity Strategy into the Shire's Local Planning	Resources: Included as part of Local
	Strategy as it is developed.	Planning Strategy development.
3	Prepare a simple guide to inform the community of the	Resources: Budget required for public
	Local Biodiversity Strategy once it is finalised.	awareness raising.
4	Establish a system to manage information collected on	Resources: To be achieved with the support
	Local Natural Areas. Ensure information is collected	of the WA Local Government Association
	using the NAIA templates and entered into an	and the South West Biodiversity Project.
	inventory.	
	Retention and protection of natural areas	
5	Assess all native vegetation to identify those areas that	Goals 1, 2, 3 and all related targets.
	meet the definition of natural area, and those areas	Resources: Aerial photo interpretation, with
	that are better described as 'other native vegetation'.	limited field verification.

No.	Action	Related Goals / Resourcing
6	Investigate developing an amendment to the Scheme	Goals 1, 2 and 3 and all related targets.
	to introduce a special control area over all significant	Resources: Can be achieved through a
	natural areas, the proposed Natural Area Special	combination of new and existing funds.
	Control Area.	
7	Make any necessary changes to the Scheme to allow	Goals 2 and 3 and related targets.
	for subdivisions for conservation and cluster-style	The WAPC will need to support changes to
	subdivisions with the support of the WA Planning	the scheme to allow the 40 ha minimum lot
	Commission.	size to be changed for Conservation Zone
	In continue for much stick and management	lots.
0	Incentives for protection and management	Coals 2 and 2 and related targets
8	As part of the Shire's Local Planning Strategy, progress opportunities for subdivisions for conservation in large	Goals 2 and 3 and related targets. Resources: Initial external funding received
	rural lots and smaller rural lots. Develop criteria and	for development of Local Planning Policy/
	opportunities for innovative subdivision in the rural	policy to cover conservation subdivisions.
	zone to protect natural areas. This will include a	Consideration must be given to WAPC
	desktop analysis of the size of natural areas on Rural	Development Control Policy 3.5 Rural
	Zoned Land, and field assessment for interested	Subdivisions.
	landowners.	
9	Conduct formal review of the existing Conservation	Goals 2 and 3 and related targets.
	Zone initiative to enable its possible expansion to	Resources: Can be achieved through re-
	other natural areas of high significance.	allocation of existing resources.
10	Investigate options for delivery of a Stewardship	Goal 4 and especially Target 4D.
	Program, tailored to landholders in the Shire and the	The program should also include provision
	Strategy's targets. The program could be linked to a	of on-site advice to all landowners with
	grants program.	Local Natural Areas that meet biodiversity
		targets / criteria.
11	Subject to a resolution to establish a Stewardship	Goal 4 and especially Target 4D.
	Program above, develop partnerships to arrange delivery of the program.	Options include use of an existing program such as Land for Wildlife, or Wetland Watch,
	delivery of the program.	or development of agreement with SJ
		Community Landcare Centre. Extra funding
		will be required, and external funding may
		also be attracted.
12	For rural lots less than 40 hectares, the Shire should	Goals 2, 3 and related targets.
	trial at least one strata cluster subdivision for	Goal 4 and Target 4C.
	conservation, possibly using a cluster-style subdivision	Resources: May be achieved through re-
	approach.	allocation of existing resources.
13	For rural lots greater than 40 hectares, the Shire	Goals 2 and 3
	should trial at least one subdivision for conservation.	Resources: Can be achieved through re-
		allocation of existing resources.
4.	Policies and practices	All C
14	Investigate preparation of a Local Planning Policy (LPP)	All Goals.
	for Biodiversity Conservation. The LPP should cover all	All targets under Goals 1, 2 and 3, and
	development which has the potential to impact on the Strategy's targets.	Target 4C under Goal 4. Resources: External funding has been
	Strategy's targets.	obtained to prepare a draft LPP.
15	Trial the LPP in a number of development settings	Goals 1, 2 and 3.
13	where a significant impact on natural areas may occur	Resources: Can be achieved through re-
	(For example, urban structure planning, rural	allocation of existing resources. External
	subdivision, and special rural subdivision).	funding has also been received to
	- ,	commence this action.
16	Allocate resources to implement the LPP, particularly	Goals 1, 2 and 3.
	the verification of ecological assessments.	Resources: Can be achieved through re-
		allocation of existing resources.
	ı	

No.	Action	Related Goals / Resourcing		
17	Raise developer's awareness of the LPP's	Resources: Preparation of an Info-note or		
	requirements.	similar as part of release of draft LPP.		
18	Negotiate with urban developers of the future	Goals 2 and 3.		
	Mundijong/Whitby area to secure Local Biodiversity	Resources: Can be achieved as part of		
	targets through the District Structure Plan, for	Mundijong District Structure planning		
	example, by including statutory provisions for	process and other townsite structure		
	protection and buffering of natural areas.	planning processes.		
	Protection and management of local reserves			
19	Assess all reserves with natural areas (28 reserves)	Goal 4, Target 4A.		
	using the Natural Area Initial Assessment (NAIA)	Resources: Can be achieved through re-		
	templates.	allocation of existing resources plus		
		matched funding with SWBP and allocation		
		of funds for specialist ecological		
		assessment.		
20	Determine management priorities using information	Goals 4, Target 4B.		
	collected through NAIA templates, and develop a 5-	Resources: Can be achieved through re-		
	year management strategy for Council reserves. In the	allocation of existing resources. (Note: This		
	interim, continue to use existing information and	may require reclassification of the vested		
	biodiversity targets to carry out priority management	purpose for some reserves – e.g. from		
	actions. recreation to conservation).			
	Medium term priorities (Year 2012 – 2015)			
21	Review and update Local Natural Area mapping & statist			
22	Review the Stewardship Program and Incentives scheme	s strategies in the concept of a 5 year rolling		
	plan.			
23	Report to the community on progress of the implementa			
	this as an opportunity to raise awareness of the Shire's high biodiversity.			
24	Re-prioritise management of all reserves in the context of a 5-year rolling plan.			
25	Prepare strategic local reserves financial plan for manage	ement and improvements to be undertaken in		
	the context of a 5-year rolling plan.			
26	Consider rationalisation of low value natural area reserve	es to generate funds or allow for trade offs for		
	protection or management of other sites.			
27	Carry out changes to vested purposes of reserves to inco			
28	Identify unvested reserves or Special Purpose reserves w	=		
	Government support for their reclassification to Class A	reserves with a Conservation purpose.		

3. Implementation of the 2008 Strategy

3.1 Update of Mapping and Remnant Vegetation Statistics

Despite ten years of implementation of the 2008 Strategy, loss of natural areas in the Shire is continuing and accelerating. Over a period of seven years after the Strategy was produced (2010-2016), the area of vegetation lost was nine times that in the eight years previous (2002-2009). This total clearing figure includes the areas of State-managed and controlled land which are not covered by the Strategy as they are the responsibility of the State government.

This analysis of clearing rates over time is accurate despite technical issues that prevent direct comparison of current remnant vegetation statistics with the statistics presented in the 2008 Strategy. The technical issues relate to two intervening changes in the way remnant vegetation is mapped and reported.

Firstly, in 2010 the department responsible for mapping native vegetation (the then Department of Agriculture and Food Western Australia) changed its mapping methodology. The accuracy of the mapping was improved, but some areas previously mapped as native vegetation were removed, while other additional areas were added, and the mapping boundaries were adjusted. Therefore, direct comparison of pre- and post-2010 data does not give the real loss of vegetation for an area. Some apparent losses of vegetation are due to declassification of areas of native vegetation or boundary adjustments, while there are also apparent gains of vegetation for the same reasons.

Secondly, in 2016 the department responsible for mapping vegetation complexes (the Department of Biodiversity, Conservation and Attractions) updated its mapping. This resulted primarily in changes to the mapped vegetation complexes in some areas, most significantly that many areas previously mapped as Darling Scarp Complex are now mapped as Forrestfield Complex. Direct comparison of preand post-2016 data also does not give the real loss of vegetation for an area. Some apparent losses of vegetation are due to reclassification of an area as a different vegetation complex, while there are also apparent gains of vegetation for the same reason.

There are therefore two time periods for which reporting of vegetation loss is possible. Firstly, a summary of vegetation loss (for some but not all vegetation complexes) for the period 2002 to 2009 was provided by DAFWA in 2010 that considers the altered mapping methodology. Secondly, direct comparisons between the 2010 and 2016 data can provide a subsequent summary of vegetation loss. Inclusion of more recent vegetation data (2017) provides misleading results, including an apparent gain in area of some vegetation complexes due to the reclassification in 2016.

Two tables of vegetation reporting are presented here. Table 3 compares the 2006 data used in the 2008 Strategy with the most recent available figures (2017), but as this covers the period during which the two changes in mapping methodology occurred the results are misleading. Table 4 presents vegetation loss for the periods 2002-2009 and 2010-2016, and a cumulative total of vegetation loss for 2002-2016. The cumulative total is also misleading, as it covers the period during which the first change in mapping methodology occurred. However, vegetation loss from 2010-2016 can be used as an approximation of vegetation loss since the 2008 Strategy was produced.

No conclusions can be drawn from Table 3, as the results are misleading due to the two changes in mapping methodology. This data does, however, provide a basis for future monitoring of remnant vegetation area and loss.

Table 4, however, provides a general picture of vegetation loss prior to and following the production of the 2008 Strategy. Over a period of seven years after the Strategy was produced (2010-2016), the area of vegetation lost was nine times that in the eight years previous (2002-2009). This increase in vegetation loss may be partly due to the two changes in mapping methodology, but still represents an increased rate of clearing. Given that the Shire is undergoing rapid and increasing development, the Shire's remnant vegetation and biodiversity is under significant threat as this development proceeds.

Table 3: Remnant Vegetation Extent – Comparison of 2006 Data (from 2008 Local Biodiversity Strategy) with 2017 Data (most recently available)*

Vegetation complex	Original extent in Shire before clearing (ha) (2006 data)	Remnant extent in Shire 2006 (ha)	Original extent in Shire before clearing (ha) (2017 data)	Remnant extent in Shire 2017 (ha)
SWAN COASTAL PLAIN	36,338	4,237 (11.7%)	36,071	4,598 (12.7%)
Bassendean Central and	9,854	2,707 (27%)	9,852	3,083 (31%)
South Complex				
Beermullah Complex	3,691	40 (1%)	3,683	44 (1%)
Dardanup Complex	1,113	148 (13%)	1,113	195 (17%)
Guildford Complex	13,244	611 (5%)	1,2987	525 (4%)
Serpentine River	783	51 (7%)	783	80 (10%)
Complex	7.053	C00 (00()	7.053	(72 (00/)
Southern River Complex	7,653	680 (9%)	7,653	672 (9%)
FOOTHILLS	4,128	266 (6%)	4,515	411 (9%)
Forrestfield Complex	4,128	266 (6%)	4,515	411 (9%)
DARLING SCARP	4,175	2,100 (50%)	4,046	2,323 (57%)
Darling Scarp Complex	4,175	2,100 (50%)	4,046	2,323 (57%)
DARLING PLATEAU	45,336	41,571 (91.7%)	45,358	39,456 (87.0%)
Cooke Complex	914	900 (99%)	919	810 (88%)
Dwellingup 1 Complex	11,030	10,536 (96%)	11,036	9,324 (84%)
Dwellingup 2 Complex	11,398	10,676 (94%)	11,397	10,141 (88%)
Goonaping Complex	304	283 (93%)	304	289 (95%)
Helena 1 Complex	599	592 (99%)	599	512 (85%)
Murray 1 Complex	8,530	6,996 (82%)	8,542	7,096 (83%)
Swamp Complex	1,797	1,670 (93%)	1,797	1,580 (89%)
Yarragil 1 Complex	4,734	4,224 (89%)	4,732	4,121 (87%)
Yarragil 2 Complex	6,030	5,694 (94%)	6,032	5,583 (92%)
Total	89,977	48,174 (53.5%)	89,989	46,788 (52.0%)

^{*}Covers the period when the two changes in mapping methodology occurred

Table 4: Loss of Remnant Vegetation for the Period 2002 to 2016

Vegetation complex	Vegetation loss 2002-2009 (ha)	Vegetation loss 2010-2016 (ha)	Vegetation loss 2002-2016 (ha)*
SWAN COASTAL PLAIN	220 (0.6%)	291 (0.8%	511 (1.4%)
Bassendean Central and South Complex	157 (1.6%)	154 (1.6%)	311 (3.2)
Beermullah Complex	4 (0.1%)	5 (0.1%)	9 (0.2%)
Dardanup Complex		4 (0.4%)	4 (0.4%)
Guildford Complex	28 (0.2%)	46 (0.3%)	74 (0.6%)
Serpentine River Complex		3 (0.4%)	3 (0.4%)
Southern River Complex	31 (0.4%)	79 (1.0%)	110 (1.4%)

FOOTHILLS	20 (0.5%)	17 (0.4%)	37 (0.9%)
Forrestfield Complex	20 (0.5%)	17 (0.4%)	37 (0.9%)
DARLING SCARP	2 (0.05%)	24 (0.6%)	26 (0.6%)
Darling Scarp Complex	2 (0.05%)	24 (0.6%)	26 (0.6%)
DARLING PLATEAU	21 (0.05%)	2,078 (4.6%)	2,099 (4.6%)
Cooke Complex		66 (7.2%)	66 (7.2%)
Dwellingup 1 Complex	21 (0.2%)	1,102 (10.0%)	1,123 (10.2%)
Dwellingup 2 Complex		613 (5.4%)	613 (5.4%)
Goonaping Complex		0 (0%)	0 (0%)
Helena 1 Complex		1 (0.2%)	1 (0.2%)
Murray 1 Complex	0.3 (0%)	57 (0.7%)	57 (0.7%)
Swamp Complex		27 (1.5%)	27 (1.5%)
Yarragil 1 Complex		89 (1.9%)	89 (1.9%)
Yarragil 2 Complex		123 (2.0%)	123 (2.0%)
Total	263 (0.3%)	2,410 (2.7%)	2,673 (3.0%)

^{*}Covers the period when the two changes in mapping methodology occurred

3.2 Status of Goals and Targets

Progress towards achievement of the goals and targets of the 2008 Strategy is presented in Table 5.

In general, the targets under Goals 1 (retention of Local Natural Areas) and 3 (protection of specific features and processes) are considered to have been impractical with the benefit of hindsight and experience.

The targets under Goal 2 (protection of vegetation types) cannot be directly reported as the abovementioned changes in mapping methodology affect the results, and as the area targets were set dependent on zoning under the planning scheme, changes in which have not yet been assessed.

Only the targets under Goal 4 (management and restoration of Local Natural Areas) have been assessed for achievement, and are all either fully or partially completed.

Table 5: Progress Towards Achievement of the Goals and Targets of the 2008 Local Biodiversity Strategy

No.	Target	Status / Comments		
Rete	Retention			
Goal	Goal 1: Prevent the further loss of Local Natural Areas. This goal aims to retain at least 4000 hectares of			
Local	Natural Areas in the Shire.			
1	Retain an estimated 4000 hectares (of 4522 ha) of Local	Revision required, given that the current		
	Natural Areas in the Shire, and only allow clearing in	extent of LNAs will have changed with		
	exceptional circumstances.	time, loss of natural areas and the		
	This includes retention of:	changes to mapping methodology.		
1A	All Verified Natural Areas and parkland-treed areas	Experience has shown that it is not		
	that support a) Carnaby's Cockatoo, b) Eucalyptus	practical to retain ALL areas, as the Shire		
	lane-poolei, or c) Eucalyptus laeliae. These are	is not the sole decision-making authority		
	designated locally characteristic species under the	in matters of clearing. These targets		
	Local Biodiversity Strategy.	need to be reworded to recognize the		
1B	All Verified Natural Areas and other native vegetation	over-riding authority of State		
	that occurs within Regional Ecological Linkages.	government agencies.		

No.	Target		Status / Comments
140.	These are to provide ecological stepping stones		otatas / Comments
	throughout the Shire.		
1C	All riparian vegetation in the Shire.		
	ection	e silile.	
		of each hasic type of vegeta	tion and ecosystem typical of the Shire.
	oximately 1690 hectares of Local		
2	Protection of a minimum area of each of the vegetation		Retained but not protected.
_	types found in the Shire (repres		Given the changes to mapping
	targets are designed to protect	= :	methodology and zoning, new targets
	each of the basic types of ecolo		are needed.
	in the Shire.		
2A	Bassendean Central and South	266 ha (of 2,707 ha)	2017 extent 3,083 ha
	Complex		
2B	Beermullah Complex	20 ha (of 40 ha)	2017 extent 44 ha
2C	Dardanup Complex	12 ha (of 148 ha)	2017 extent 195 ha
2D	Guildford Complex	96 ha (of 611 ha)	2017 extent 525 ha
2E	Serpentine River Complex	8 ha (of 51 ha)	2017 extent 80 ha
2F	Southern River Complex	172 ha (of 680 ha)	2017 extent 672 ha
2G	Forrestfield Complex	101 ha (of 266 ha)	2017 extent 411 ha
2H	Darling Scarp Complex	583 ha (of 2,100 ha)	2017 extent 2,323 ha
21	Cooke Complex	0 ha (of 900 ha)	2017 extent 810 ha
	Dwellingup 1 Complex	47 ha (of 10,536 ha)	2017 extent 9,324 ha
	Dwellingup 2 Complex	122 ha (of 10,676 ha)	2017 extent 10,141 ha
	Goonaping Complex	16 ha (of 283 ha)	2017 extent 289 ha
	Helena 1 Complex	1 ha (of 592 ha)	2017 extent 512 ha
	Murray 1 Complex	133 ha (of 6,996 ha)	2017 extent 7,096 ha
	Swamp Complex	15 ha (of 1,670 ha)	2017 extent 1,580 ha
	Yarragil 1 Complex	66 ha (of 4,224 ha)	2017 extent 4,121 ha
6 1	Yarragil 2 Complex	32 ha (of 5,694 ha)	2017 extent 5,583 ha
			g rare species, threatened ecological
3	nunities, wetland vegetation and		
3	Protection of specific biodiversi biodiversity feature targets), su		These are good targets but are impractical.
	species and protection of wetla		impractical.
3A	Declared Rare Flora, Specially F		Experience has shown that it is not
3A	Priority Species: Protect all Veri		practical to retain ALL areas, as the Shire
	contain Declared Rare Flora, Spe		is not the sole decision-making authority
	and Priority One or Priority Two	-	in matters of clearing. These targets
	habitat for these species.	, ,	need to be reworded to recognize the
3B	Threatened Ecological Commun	nities (TEC): Protect all	over-riding authority of State
	Verified Natural Areas which co		government agencies.
	Ecological Communities (TECs).		
3C	Locally Characteristic Fauna an		It is inadequate to only protect Verified
	habitats (natural areas and parkland-treed areas) of a)		areas. Even Potentially Significant areas
	Carnaby's Cockatoo, b) Eucalyptus lane-poolei, or c)		have values worth protecting.
	Eucalyptus laeliae where such habitat occurs on		
	properties proposed for develop		
	designated locally characteristic	species under the Local	
20	Biodiversity Strategy.	ion. Droto et all Manifical	
3D	Wetlands and wetland vegetat		
	Natural Areas which contain we vegetation in good or better con		
	upland vegetation.	ומונוטוו אועט מ טעוופו טו	
	apiana vegetation.		<u> </u>

No.	Target	Status / Comments
3E	Waterways and riparian vegetation: Protect 10% of	
	Verified Riparian Natural Areas within 5 years and 20%	
	within 10 years.	
3F	Regional and Local Ecological Linkages: Protect 15% of	
	natural areas on Regional Ecological Linkages within 5	
	years. All other rivers and creeks in the Shire are to be	
	regarded as Local Ecological Linkages.	
	agement and restoration	
Goal	4: Manage and restore Local Natural Areas and revegetate ne	ew areas to increase native fauna habitat.
4	Management and restoration of Local Natural Areas.	
4A	Prepare a 5-year Management Strategy for all natural	Completed
	areas vested or owned by Council within 3 years.	
4B	All natural areas under Council vesting or ownership are	Completed
	actively managed for conservation in accordance with a 5-	
	year Management Strategy within 8 years.	
4C	All significant development proposals provide a Natural	Partially Completed – usually takes the
	Area Management Plan to restore and manage	form of a Landscape and Vegetation
	biodiversity values on subject lands.	Management Plan that incorporates
		management of natural areas.
4D	Half of all LNAs are actively managed for conservation or	Partially Completed – over 500 ha
	form part of a stewardship program within 20 years (i.e.	managed under Healthy Habitats
	approximately 2260 ha of 4521 ha).	stewardship program, plus all 400 ha of
		Natural Reserves.
4E	Restore 10% of Verified Riparian Natural Areas within 5	Partially Completed – Landcare SJ Inc.
	years and 20% within 10 years.	has revegetated 9.42 ha and controlled
		weeds on 15.11 ha of Shire reserves in
		riparian areas, and on private property
		revegetated 9.4 ha and controlled
		weeds on 14.08 ha in riparian areas.
		Unclear whether target has been met as
45	Faces 20 biles store of acceptable in Marified Biograph	total riparian area unknown.
4F	Fence 20 kilometres of coastal plain Verified Riparian	Partially Completed – Landcare SJ Inc.
	Natural Areas, or 10 hectares of riparian vegetation,	has funded the fencing of 4.78 km of
	within 5 years, and restore and actively manage these	creekline on private property.
4G	Restore and actively manage 15% of natural areas on	Partially Completed – Landcare SJ Inc.
40		1
	Regional Ecological Linkages within 5 years.	has revegetated 3.3 ha and controlled weeds on 57.65 ha of Shire reserves on
		Regional Ecological Linkages. Unclear
		whether target has been met as total
		area unknown.
4H	Where more than 500 metres exists between resilient	Partially Completed – Landcare SJ Inc.
417	natural areas on Regional Ecological Linkages, support	has revegetated 3.3 ha and controlled
	ecological revegetation projects to create habitat	weeds on 57.65 ha of Shire reserves on
	stepping stones along Regional Ecological Linkages.	Regional Ecological Linkages.

3.3 Status of Action Plan

Progress towards achievement of the actions of the 2008 Strategy is presented in Table 6. The actions have all been assessed as fully or partially completed, or ongoing.

Table 6: Progress Towards Achievement of the Action Plan for the 2008 Local Biodiversity Strategy

No.	Action	Status / Comments
	Actions 2008 - 2011	
	Strategy establishment and public awareness raising	
1	Consult the Department for Planning and	Completed – consultation has taken place
	Infrastructure, the Department of Environment and	with relevant agencies.
	Conservation, and other relevant State Government	and the same against and the same against a same a
	agencies, on appropriate mechanisms for achieving	
	local biodiversity targets.	
2	Incorporate the goals, targets and actions of the Local	Ongoing – the Local Biodiversity Strategy
	Biodiversity Strategy into the Shire's Local Planning	has informed the development of the draft
	Strategy as it is developed.	Local Planning Strategy and will be
	,	considered in the final version.
3	Prepare a simple guide to inform the community of the	Completed – leaflet prepared and
	Local Biodiversity Strategy once it is finalised.	distributed in 2009, and available on Shire
	,	website.
4	Establish a system to manage information collected on	Partially Completed – some information
	Local Natural Areas. Ensure information is collected	collected but not entered into an inventory.
	using the NAIA templates and entered into an	,
	inventory.	
	Retention and protection of natural areas	
5	Assess all native vegetation to identify those areas that	Ongoing – the process of assessment has
	meet the definition of natural area, and those areas	not yet covered all areas of native
	that are better described as 'other native vegetation'.	vegetation.
6	Investigate developing an amendment to the Scheme	Ongoing – investigated and options floated,
	to introduce a special control area over all significant	with the Significant Tree Register
	natural areas, the proposed Natural Area Special	implemented and further developments
	Control Area.	planned.
7	Make any necessary changes to the Scheme to allow	Partially Completed – investigated but no
	for subdivisions for conservation and cluster-style	changes implemented.
	subdivisions with the support of the WA Planning	
	Commission.	
	Incentives for protection and management	
8	As part of the Shire's Local Planning Strategy, progress	Ongoing – case studies have been reviewed.
	opportunities for subdivisions for conservation in large	
	rural lots and smaller rural lots. Develop criteria and	
	opportunities for innovative subdivision in the rural	
	zone to protect natural areas. This will include a	
	desktop analysis of the size of natural areas on Rural	
	Zoned Land, and field assessment for interested	
	landowners.	
9	Conduct formal review of the existing Conservation	Ongoing – reviewed and criteria
	Zone initiative to enable its possible expansion to	established; two more properties zoned for
	other natural areas of high significance.	Conservation.
10	Investigate options for delivery of a Stewardship	Completed and ongoing – the "Healthy
	Program, tailored to landholders in the Shire and the	Habitats" biodiversity stewardship program
	Strategy's targets. The program could be linked to a	has 27 current members.
	grants program.	
11	Subject to a resolution to establish a Stewardship	Completed and ongoing – Landcare SJ Inc.
	Program above, develop partnerships to arrange	partners with the Shire to deliver Healthy
	delivery of the program.	Habitats.
12	For rural lots less than 40 hectares, the Shire should	Ongoing – can only encourage developers as
	trial at least one strata cluster subdivision for	the opportunity arises.
	conservation, possibly using a cluster-style subdivision	and apportunity united.
	approach.	
		I .

No.	Action	Status / Comments
13	For rural lots greater than 40 hectares, the Shire	Ongoing – can only encourage developers as
	should trial at least one subdivision for conservation.	the opportunity arises.
	Policies and practices	, , , , ,
14	Investigate preparation of a Local Planning Policy (LPP)	Completed – endorsed by Council in 2009,
	for Biodiversity Conservation. The LPP should cover all	most recent update 2017.
	development which has the potential to impact on the	
	Strategy's targets.	
15	Trial the LPP in a number of development settings	Ongoing – the LPP has been used to support
	where a significant impact on natural areas may occur	planning recommendations for
	(For example, urban structure planning, rural	developments affecting natural areas.
16	subdivision, and special rural subdivision).	Ongoing annorthnistic assessments as the
16	Allocate resources to implement the LPP, particularly the verification of ecological assessments.	Ongoing – opportunistic assessments as the occasion arises.
17	Raise developer's awareness of the LPP's	Completed – leaflet prepared and
1/	requirements.	distributed in 2009, and available on Shire
	requirements.	website.
18	Negotiate with urban developers of the future	Ongoing – targets inform structure plans
	Mundijong/Whitby area to secure Local Biodiversity	and appropriate management plans are
	targets through the District Structure Plan, for	required at subdivision stage.
	example, by including statutory provisions for	
	protection and buffering of natural areas.	
	Protection and management of local reserves	
19	Assess all reserves with natural areas (28 reserves)	Completed – all natural area reserves have
	using the Natural Area Initial Assessment (NAIA)	been assessed.
	templates.	
20	Determine management priorities using information	Completed and ongoing – a ten-year
	collected through NAIA templates, and develop a 5- year management strategy for Council reserves. In the	management plan has been developed and implemented, informing management
	interim, continue to use existing information and	priorities for Shire reserves.
	biodiversity targets to carry out priority management	phonics for sime reserves.
	actions.	
	Medium term priorities (Year 2012 – 2015)	
21	Review and update Local Natural Area mapping &	Partially Completed – opportunistic reviews
	statistics.	inform updates of mapping and statistics.
22	Review the Stewardship Program and Incentives	Partially Completed – Healthy Habitats is
	schemes strategies in the concept of a 5 year rolling	active and its priorities and services are
	plan.	regularly reviewed.
23	Report to the community on progress of the	Ongoing – achievements are highlighted
	implementation of the Local Biodiversity Strategy. Use	and publicized.
	this as an opportunity to raise awareness of the Shire's	
24	high biodiversity.	Ongoing a ton year management plan has
24	Re-prioritise management of all reserves in the context of a 5-year rolling plan.	Ongoing – a ten-year management plan has been developed and implemented,
	of a 3-year folling plan.	informing management priorities for Shire
		reserves.
25	Prepare strategic local reserves financial plan for	Completed and ongoing – the ten-year
	management and improvements to be undertaken in	management plan has a fully budgeted
	the context of a 5-year rolling plan.	action plan.
26	Consider rationalisation of low value natural area	Partially Completed – assessments of
	reserves to generate funds or allow for trade offs for	reserves in this context have occurred and
	protection or management of other sites.	are considered in reserve management.
27	Carry out changes to vested purposes of reserves to	Partially Completed – a list of appropriate
	incorporate 'conservation' where appropriate.	reserves has been developed for an
		omnibus amendment.

No.	Action	Status / Comments
28	Identify unvested reserves or Special Purpose reserves	Ongoing – consultation occurs on a regular
	with high biodiversity values. Seek State Government	basis with the management authorities for a
	support for their reclassification to Class A reserves	number of high value reserves.
	with a Conservation purpose.	



4. An Update for 2019

4.1 Mapping and Statistics

The vegetation loss from 2010-2016 shown above in Table 4 can be used as an approximation of vegetation loss since the 2008 Strategy was produced. This provides a general picture of vegetation loss prior to and after the production of the 2008 Strategy. Over a period of seven years after the Strategy was produced (2010-2016), the area of vegetation lost was nine times that in the eight years previous (2002-2009). This increase in vegetation loss may be partly due to the two changes in mapping methodology, but still represents a greatly increased rate of clearing.

Ongoing monitoring of remnant vegetation and vegetation loss will rely on the 2017 remnant vegetation figures presented in Table 3 and the vegetation loss from 2010 to 2016 in Table 4.

4.2 Goals and Targets

The original four goals of the 2008 Strategy have been retained. New targets for the next ten years are proposed in Table 7. These take into account the original targets of the 2008 Strategy, but reorganize them into Focus Areas with targets to retain, protect and enhance the values of the specific focus area.

Table 7: Goals and Targets for the 2019 Update of the Local Biodiversity Strategy

No.	Target				
Focus A	Focus Area 1: Natural Areas				
1.1	Retain				
1.1.1	Prevent the further loss of Local Natural Areas, and retain at least 4000 hectares of Local Natural Areas in the Shire.				
1.2	Protect				
1.2.1	Protect Local Natural Areas in the Shire, and seek to prevent all clearing by enforcing Shire and/or State vegetation protection regulations.				
1.3	Enhance				
1.3.1	Manage and restore Local Natural Areas and revegetate new areas to increase native fauna habitat.				
1.3.2	Regularly update the ten-year Management Plan for all natural areas vested or owned by Council.				
1.3.3	Actively manage for conservation all natural areas under Council vesting or ownership in accordance with the Management Plan.				
1.3.4	Ensure that all development proposals that impact on natural areas provide a Management Plan to restore and manage biodiversity values on subject lands.				
1.3.5	Progressively increase the number of Local Natural Areas that are actively managed for conservation or form part of a stewardship program.				
Focus A	rea 2: Locally Characteristic Species				
2.1	Retain				
2.1.1	Retain Potentially Significant and Verified Local Natural Areas and Verified Local Native Vegetation that support Black Cockatoos, <i>Eucalyptus lane-poolei</i> , or <i>Eucalyptus laeliae</i> . These are designated locally characteristic species under the Local Biodiversity Strategy.				
2.2	Protect				
2.2.1	Protect Potentially Significant and Verified Local Natural Areas and Verified Local Native Vegetation that support locally characteristic species, and seek to prevent all clearing of these areas by enforcing Shire and/or State vegetation protection regulations.				
2.3	Enhance				

No.	Target			
2.3.1	Actively manage for conservation Potentially Significant and Verified Local Natural Areas and			
	parkland-treed areas that support locally characteristic species.			
Focus A	rea 3: Vegetation Complexes			
3.1	Retain			
3.1.1	Retain the identified minimum portion of each basic type of vegetation and ecosystem			
	("vegetation complex") typical of the Shire, consisting of approximately 1690 hectares of Local			
	Natural Area.			
3.2	Protect			
3.2.1	Protect a minimum area of each of the vegeta	tion types and ecological communities found in the		
	Shire.			
3.2.2	Bassendean Central and South Complex	266 ha (of 2,707 ha)		
3.2.3	Beermullah Complex	20 ha (of 40 ha)		
3.2.4	Dardanup Complex	12 ha (of 148 ha)		
3.2.5	Guildford Complex	96 ha (of 611 ha)		
3.2.6	Serpentine River Complex	8 ha (of 51 ha)		
3.2.7	Southern River Complex	172 ha (of 680 ha)		
3.2.8	Forrestfield Complex	101 ha (of 266 ha)		
3.2.9	Darling Scarp Complex	583 ha (of 2,100 ha)		
3.2.10	Cooke Complex	0 ha (of 900 ha)		
3.2.11	Dwellingup 1 Complex	47 ha (of 10,536 ha)		
3.2.12	Dwellingup 2 Complex	122 ha (of 10,676 ha)		
3.2.13	Goonaping Complex	16 ha (of 283 ha)		
3.2.14	Helena 1 Complex	1 ha (of 592 ha)		
3.2.15	Murray 1 Complex	133 ha (of 6,996 ha)		
3.2.16	Swamp Complex	15 ha (of 1,670 ha)		
3.2.17	Yarragil 1 Complex	66 ha (of 4,224 ha)		
3.2.18	Yarragil 2 Complex	32 ha (of 5,694 ha)		
3.3	Enhance			
3.3.1		ed minimum portion of each basic type of vegetation		
	and its associated ecosystem typical of the Sh	ire.		
	rea 4: Specific Features			
4.1	Retain			
4.1.1		al Natural Areas and Verified Local Native Vegetation		
		s, to provide ecological stepping stones throughout		
	the Shire.			
4.1.2		ek to prevent all clearing of these areas by enforcing		
4.1.3	Shire and/or State vegetation protection regu	al Natural Areas and Verified Local Native Vegetation		
4.1.5	that contains specific ecological features and	-		
		ay vegetation and ecological linkages throughout the		
	Shire.	ay vegetation and ecological linkages timoughout the		
4.2	Protect			
4.2.1		sses including rare species, threatened ecological		
7.2.1	-	on and ecological linkages throughout the Shire.		
4.2.2		cal Natural Areas that contain <i>Threatened and Priority</i>		
	Flora and Fauna or significant habitat for thes			
4.2.3		cal Natural Areas that contain Threatened Ecological		
0	Communities (TECs).	The state of the s		
4.2.4		cal Natural Areas that contain wetlands and wetland		
	vegetation plus a buffer of upland vegetation.			
4.2.5	Protect Potentially Significant and Verified Rip			
4.2.6		inkages. All other rivers and creeks in the Shire are to		
	be regarded as Local Ecological Linkages and protected.			
4.3	Enhance			

No.	Target	
4.3.1	Restore Potentially Significant and Verified Riparian Natural Areas.	
4.3.2	Fence coastal plain Potentially Significant and Verified Riparian Natural Areas, and restore and	
	actively manage these areas.	
4.3.3	Restore and actively manage natural areas on Regional Ecological Linkages.	
4.3.4	Where more than 500 metres exists between natural areas on Regional Ecological Linkages,	
	support ecological revegetation projects to create habitat stepping stones.	
Focus Area 5: Consultation and Education		
5.1.1	Conduct a consultation, communication and education program.	

4.3 Action Plan

A new action plan is proposed for the next ten years, to achieve the proposed targets (Table 8).

Table 8: Action Plan for the 2019 Update of the Local Biodiversity Strategy

No.	Action Action	Related Targets and
	4.4	Resourcing
	ne 1 – Assessment and Registration	
1	Assess all native vegetation to identify those areas that meet the definition of	1.1.1
	Verified Local Natural Area, and those areas that are better described as	Staff time
	Verified Local Native Vegetation.	
2	Place all identified significant Verified Local Native Vegetation on the	1.2.1
	Significant Tree Register.	Staff time
Then	ne 2 – Recording, Mapping and GIS	
3	Record in GIS and a spreadsheet:	1.1.1
	(a) The status of native vegetation as Verified Local Natural Area or Verified	2.1.1
	Local Native Vegetation.	4.1.1
	(b) All known occurrences of designated locally characteristic species and	4.1.2
	their habitats, and expand as new occurrences are recorded.	4.1.3
	(c) All Potentially Significant and Verified Local Natural Areas and Verified	Staff time
	Local Native Vegetation that occurs within Regional Ecological Linkages.	
	(d) All known occurrences of riparian vegetation in the Shire.	
	(e) All Potentially Significant and Verified Local Natural Areas and Verified	
	Local Native Vegetation that contains rare species, threatened ecological	
	communities, wetland and waterway vegetation, and ecological linkages	
	throughout the Shire.	
4	Annually review and update Local Natural Area mapping and statistics.	3.1.1
		Staff time
5	Establish a system to manage information collected on Local Natural Areas,	5.1.1
	including a database and GIS.	Staff time
6	Review and update mapping of Bush Forever Areas, Regional Ecological	4.1.1
	Linkages and other relevant biodiversity features.	Staff time
Then	ne 3 – Policy and Legislation	
7	Update, implement and allocate resources for the Biodiversity Planning Policy	1.2.1
	to:	1.3.4
	(a) Recognize and protect Verified Local Natural Areas through the Scheme.	Staff time
	(b) Cover all development where a significant impact on natural areas may	May require funding
	occur, and verify assessments associated with such development.	to implement policy
8	Investigate developing an amendment to the Scheme to introduce a special	1.2.1
	control area over all Verified Local Natural Areas.	Staff time
		Funding required

No.	Action	Related Targets and Resourcing
9	Update the protection targets for vegetation types and ecological	3.2.1-18
	communities to reflect updated natural area mapping and zoning in Local Planning Scheme No. 3.	Staff time
10	Incorporate the targets of the Local Biodiversity Strategy into the Local	5.1.1
	Planning Scheme No. 3 and other planning strategies as they are developed.	Staff time
Then	ne 4 – Landcare	
11	Support funding for and grant applications by Landcare SJ Inc. and other	1.3.1
	bodies to:	4.3.1
	(a) Restore and revegetate Local Natural Areas.	4.3.2
	(b) Restore and revegetate riparian natural areas.	4.3.3
	(c) Fence, restore and revegetate coastal plain riparian natural areas.	Staff time
	(d) Restore and revegetate natural areas on Regional Ecological Linkages.	May require funding
12	Promote planting of Eucalyptus lane-poolei, Eucalyptus laeliae, and other	2.3.1
	cockatoo food plants.	Staff time
	ne 5 – Natural Reserves	T
13	Assess all reserves with natural areas against management actions and	1.3.2
	results, using photopoint monitoring and annual reports.	Staff time
14	Update and maintain currency of ten-year Weed and Pest Management Plan for all natural areas vested or owned by Council.	1.3.2 Staff time
15	Seek funding to carry out actions in the Weed and Pest Management Plan.	1.3.3
		Staff time
		Funding required
16	Allocate funding under the Weed and Pest Management Plan to:	2.3.1
	(a) All known occurrences of designated locally characteristic species and	3.3.1
	their habitats on Shire managed land.	4.3.1
	(b) The identified minimum portion of each basic type of vegetation and	4.3.2
	ecosystem on Shire managed land.	4.3.3
	(c) Known riparian natural areas on Shire managed land.	Staff time
	(d) Coastal plain riparian natural areas on Shire managed land.(e) Natural areas on Regional Ecological Linkages on Shire managed land.	Funding required
Thon	ne 6 – Reserve Governance	
17	Consider restoration and revegetation of poor condition natural area reserves	1.3.3
1,	to create an offset bank.	Staff time
	to dicate an onset bank.	Funding required
18	Carry out changes to vested purposes of reserves to incorporate	1.3.3
	'conservation' where appropriate.	Staff time
		Funding required
19	Identify unvested reserves or Special Purpose reserves that are Verified Local	1.3.3
	Natural Areas, and seek State Government support for their reclassification to	Staff time
	Class A reserves with a Conservation purpose or vesting with the Shire for	May require funding
	management.	
Then	ne 7 – Environmental Planning	
20	At subdivision stage, identify Verified Local Natural Areas, verify Potentially	1.3.4
	Significant Local Natural Areas, and seek to protect in Public Open Space,	Staff time
	trails or development exclusion zones, adjust boundaries to avoid	
	fragmentation, or use other appropriate and available mechanisms.	
21	Utilise a set of Standard Development Conditions to provide a Management	1.3.4
	Plan to restore and manage biodiversity values, on development where a	Staff time
	significant impact on natural areas may occur.	
22	Prioritise biodiversity and conservation in planning assessment of	1.3.5
	development including subdivisions, and identify and/or develop criteria and	Staff time
	opportunities for strategic, sensitive layout to protect natural areas.	
23	Have due regard for vegetation types and ecological communities, and their	3.2.1-18
	protection targets, during the planning process.	Staff time

No.	Action	Related Targets and Resourcing
24	Have due regard for the legislative status of rare species, threatened	4.2.1
	ecological communities, wetland and waterway vegetation, and ecological	Staff time
	linkages during the planning process, following best practice advice and	
	guidance from State and Federal government agencies.	
25	Through the planning process, utilize GIS to prioritise locating Public Open	4.3.4
	Space and Multiple Use Corridors on Regional Ecological Linkages where	Staff time
	natural areas are more than 500m apart.	
26	Enforce Shire, State and/or Federal vegetation protection regulations during	2.2.1
	the planning process to prevent clearing of:	4.1.2
	(a) Designated locally characteristic species and their habitats.	4.2.2
	(b) Riparian vegetation.	4.2.3
	(c) Natural areas that contain rare species or their habitats.	4.2.4
	(d) Natural areas that contain Threatened Ecological Communities.	4.2.5
	(e) Natural areas that contain wetlands and wetland vegetation and/or a	4.2.6
	buffer of upland vegetation.	Staff time
	(f) Riparian natural areas.	
	(g) Natural areas on Regional Ecological Linkages or other rivers and creeks.	
Then	ne 8 – "Healthy Habitats"	
27	Prioritise funding allocations, "Healthy Habitats" memberships and Landcare	4.3.4
_,	SJ Inc. projects on Regional Ecological Linkages where natural areas are more	Staff time
	than 500m apart.	Stair time
28	Review the "Healthy Habitats" biodiversity stewardship program, with	1.3.5
20	consideration of:	Staff time
	(a) Expansion of the Conservation Zone initiative to cover other natural areas	Funding required
	of high significance,	Tunung required
	(b) Investigation of a stewardship grants program,	
	(c) Seeking funding opportunities, and	
	(d) Continued support for Landcare SJ Inc.'s delivery of the program.	
29	Target private properties for membership of the "Healthy Habitats"	2.3.1
23	biodiversity stewardship program that contain:	3.3.1
	(a) Known occurrences of designated locally characteristic species and their	4.3.1
	habitats.	4.3.2
		4.3.3
		Staff time
	(c) Riparian natural areas.	Stan time
	(d) Coastal plain riparian natural areas.(e) Natural areas on Regional Ecological Linkages.	
Theore		
	ne 9 – Consultation and Education	F 4 4
30	Consult the Department of Planning, Lands and Heritage, the Department of	5.1.1
	Biodiversity, Conservation and Attractions, the Department of Water and	Staff time
	Environmental Regulation, and other relevant State Government agencies on	
<u> </u>	appropriate mechanisms for achieving local biodiversity targets.	
31	Prepare a simple guide to inform the community of achievements during the	5.1.1
	first ten years of the Local Biodiversity Strategy, and the action plan for the	Staff time
	next ten years.	Funding required
32	Prepare and distribute a simple guide to inform developers of the	5.1.1
	achievements during the first ten years of the Local Biodiversity Strategy, the	Staff time
	action plan for the next ten years, and the requirements of the Biodiversity	Funding required
	Planning Policy.	

5. Conclusions

The Shire of Serpentine Jarrahdale is going through a massive growth phase and it is estimated that by 2036 the population will more than triple to 68,335 residents (having already doubled from 13,246 in 2006 to 29,361 in 2017). This phenomenal growth poses a significant challenge to the conservation of biodiversity, but also provides a number of opportunities as land use changes from rural to more intensive uses.

The Shire's remnant vegetation and biodiversity is under significant threat as this development proceeds. Loss of remnant vegetation is ongoing and accelerating. It is therefore essential that the Shire have an updated and relevant Local Biodiversity Strategy to guide its retention, protection and enhancement into the future. Action is urgent in order to prevent the further loss of natural areas and protect the variety of nature for the long-term.



6. Glossary

Biodiversity is the variety of all life forms – the different plants, animals and micro-organisms, the genes they contain, and the ecosystems of which they form a part.

Bush Forever is a comprehensive plan for protection of biodiversity in the Perth region, which includes Bush Forever Areas of regionally significant bushland, ecological linkages, and locally significant natural areas. The policy aims to ensure bushland protection and management issues are addressed and integrated with broader land use management and decision-making.

Ecological community is a naturally occurring biological assemblage that occurs in a particular type of habitat.

Ecological linkages are non-contiguous natural areas that connect larger natural areas by forming stepping stones that allow the movement over time of organisms between these larger areas.

Habitat is the natural environment of an organism or community, including all biotic (living) and abiotic (nonliving) elements.

Local Natural Areas (LNAs) are natural areas that exist outside of Bush Forever Sites (Swan Coastal Plain), the DPaW Managed Estate and Regional Parks.

Native vegetation is naturally occurring locally native species as opposed to revegetated areas of native species, and includes natural areas and areas of native vegetation that is degraded such that it cannot be defined as a natural area.

Natural area is an area that contains native species or communities in a relatively natural state.

Potentially Significant Local Natural Area is a Local Natural Area that has not been Verified but is likely to be Significant.

Regional Ecological Linkage is an ecological linkage that is significant on a regional scale.

Remnant vegetation is native vegetation that still exists post-clearing.

Riparian (area or vegetation) is an area of interface between land and a river or stream, and the vegetation communities along the river or stream margins and banks.

Significant Local Natural Area is a Local Natural Area that meets at least one target of the Local Biodiversity Strategy.

State Planning Policy 2.8 Bushland Policy for the Perth Metropolitan Region (SPP2.8) provides a policy and implementation framework to ensure protection and management issues are appropriately addressed and integrated with broader land use planning and decision-making. Applies to Bush Forever areas and Local Natural Areas.

Threatened Ecological Community is an ecological community that both has a small proportion of its original extent remaining, and is under a significant and ongoing level of threat to its continued existence.

Vegetation complexes are based on the pattern of vegetation at a regional scale as they reflect the underlying key determining factors of landforms, soils and climate.

Vegetation condition is a rating given to vegetated natural areas to categorise disturbance related to human activities, and refers to the degree of change in the structure, density and species present in native vegetation in relation to undisturbed pristine native vegetation of the same type.

Verified Local Native Vegetation is native vegetation that has been assessed, either by field survey or detailed photo interpretation, to be degraded such that it cannot be defined as a natural area, but still has significant value for biodiversity and habitat.

Verified Natural Area is an area of native vegetation that has been assessed, either by field survey or detailed photo interpretation, to include a basic understorey vegetation component, and meet the criteria of natural area or a wetland that has sufficient natural values to be assessed as a Conservation Category or Resource Enhancement Wetland.

Verified Riparian Natural Area is a riparian area that has been assessed, either by field survey or detailed photo interpretation, to include a basic understorey vegetation component, and meet the criteria of natural area or have sufficient natural values to be assessed as a Conservation Category or Resource Enhancement Wetland.



7. References

The original 2008 Strategy refers to State and EPA policies and guidance that are no longer current. As part of developing a new policy framework, the EPA replaced a number of environmental guidelines, bulletins, guidance statements and position statements.

Environmental Offsets Position Statement No. 9 (EPA, 2006) has been replaced by WA Environmental Offsets Policy (Government of Western Australia, 2011) and WA Environmental Offsets Guidelines (Government of Western Australia, 2014).

Guidance Statement No. 10 Guidance for the assessment of environmental factors – Level of assessment for proposals affecting natural areas within the System Six region and Swan Coastal Plain portion of the System 1 region (EPA, 2003) has been superseded with Environmental Factor Guideline: Flora and Vegetation (EPA, 2016).

The *Environmental Protection (Swan Coastal Plain Lakes) Policy 1992* (EPP) was repealed by the Minister for Environment in November 2015. The revocation was a reflection of the dated nature of the EPP and does not mean that these areas are not valuable. Alternative mechanisms have been identified including the Geographic Wetlands Dataset, administered by the Department of Biodiversity, Conservation and Attractions, and WAPC's Statement of Planning Policy 2.9.



27

Appendix 1: Threatened Ecological Communities (TECs)

The classification and conservation listing of Threatened Ecological Communities and Priority Ecological Communities occurring within the Shire of Serpentine Jarrahdale has changed since the 2008 Strategy, with updates and additions to the listings under the relevant State (*Biodiversity Conservation Act* 2016) and Federal (*Environment Protection and Biodiversity Conservation Act* 1999) legislation. A new list of TECs and PECs is therefore presented here, to replace Appendix 17.2 in the 2008 Strategy. Descriptions of the criteria for the conservation categories can be found in the legislation and the 2008 Strategy.

Community	Community Name	Conservation Category	
Identifier		WA	Federal
-	Communities of Tumulus Springs (Organic Mound Springs,	Critically	Endangered
	Swan Coastal Plain) TEC	Endangered	
SCP3a	Corymbia calophylla – Kingia australis woodlands on heavy	Critically	Endangered
	soils of the Swan Coastal Plain TEC	Endangered	
SCP3c	Corymbia calophylla – Xanthorrhoea preissii woodlands and	Critically	Endangered
	shrublands, Swan Coastal Plain TEC	Endangered	
SCP20b	Banksia attenuata and/or Eucalyptus marginata woodlands of	Endangered	-
	the eastern side of the Swan Coastal Plain TEC		
SCP08	Rich herb shrublands in clay pans TEC	Vulnerable	Critically
			Endangered
SCP10a	Shrublands on dry clay flats TEC	Endangered	Critically
			Endangered
SCP02	Southern wet shrublands, Swan Coastal Plain TEC	Endangered	-
SCP15	Forests and woodlands of deep seasonal wetlands of the	Vulnerable	-
	Swan Coastal Plain TEC		
SCP3b	Corymbia calophylla – Eucalyptus marginata woodlands on	Vulnerable	-
	sandy clay soils of the southern Swan Coastal Plain TEC		
SCP07	Herb rich saline shrublands in clay pans TEC	Vulnerable	Critically
			Endangered
SCP09	Dense shrublands on clay flats TEC	Vulnerable	Critically
			Endangered
-	Banksia dominated woodlands of the Swan Coastal Plain IBRA	Priority 3	Endangered
	Region PEC *		TEC (part)
SCP22	Banksia ilicifolia woodlands PEC *	Priority 3	Endangered
			TEC (part)
-	Casuarina obesa association PEC	Priority 1	-
SCP1a	Eucalyptus haematoxylon – Eucalyptus marginata woodlands	Priority 3	-
	on Whicher foothills PEC		
-	Granite communities of the northern Jarrah Forest PEC	Priority 3	-
-	Litter-dependent invertebrate community PEC	Priority 2	-
SCP21c	Low lying Banksia attenuata woodlands or shrublands PEC *	Priority 3	Endangered
		,	TEC (part)

 $^{^*}$ A component of the Endangered Banksia woodlands of the Swan Coastal Plain EPBC listed TEC

Appendix 2: Threatened and Priority Fauna

The classification and conservation listing of Threatened and Priority Fauna known or likely to occur within the Shire of Serpentine Jarrahdale has changed since the 2008 Strategy, with updates and additions to the listings under the relevant State (*Biodiversity Conservation Act* 2016) and Federal (*Environment Protection and Biodiversity Conservation Act* 1999) legislation. A new list of threatened and priority fauna is therefore presented here, to replace Appendix 17.3 in the 2008 Strategy. Descriptions of the criteria for the conservation categories can be found in the legislation and the 2008 Strategy.

Scientific Name	Scientific Name Common Name Conservation					
		WA	Federal			
Birds						
Botaurus poiciloptilus	Australasian Bittern	Endangered	Endangered			
Cacatua pastinator subsp. pastinator	Muir's Corella, Muir's Corella	Conservation	-			
	(Western Corella SW WA)	Dependent				
Calidris canutus	Red Knot, Knot	Endangered	Endangered,			
			Migratory			
Calidris ferruginea	Curlew Sandpiper	Critically	Critically			
		Endangered	Endangered,			
			Migratory			
Calyptorhynchus banksii naso	Forest Red-tailed Black-	Vulnerable	Vulnerable			
	Cockatoo, Karrak					
Calyptorhynchus baudinii	Baudin's Cockatoo, Long-	Endangered	Endangered			
	billed Black-Cockatoo					
Calyptorhynchus latirostris	Carnaby's Cockatoo, Short-	Endangered	Endangered			
	billed Black-Cockatoo					
Falco peregrinus	Peregrine Falcon	Other specially	-			
		protected				
		fauna				
Leipoa ocellata	Malleefowl	Vulnerable	Vulnerable			
Numenius madagascariensis	Eastern Curlew	Critically	Critically			
		Endangered	Endangered,			
			Migratory			
Oxyura australis	Blue-billed Duck	Priority 4	-			
Rostratula australis	Australian Painted-snipe,	Endangered	Endangered			
	Australian Painted Snipe					
Tyto novaehollandiae subsp.	Masked Owl (southwest)	Priority 3	-			
novaehollandiae						
Mammals			1			
Bettongia penicillata ogilbyi	Woylie, Brush-tailed Bettong	Critically	Endangered			
		Endangered				
Dasyurus geoffroii	Chuditch, Western Quoll	Vulnerable	Vulnerable			
Pseudocheirus occidentalis	Western Ringtail Possum,	Critically	Critically			
	Ngwayir, Womp, Woder,	Endangered	Endangered			
	Ngoor, Ngoolangit					
Setonix brachyurus	Quokka	Vulnerable	Vulnerable			
Falsistrellus mackenziei	Western False Pipistrelle,	Priority 4	-			
	Western Falsistrelle					
Hydromys chrysogaster	Water-rat, Rakali	Priority 4	-			

Scientific Name	Common Name	Conserva	Conservation Category		
		WA	Federal		
Isoodon fusciventer	Quenda, southwestern	Priority 4	-		
	brown bandicoot				
Myrmecobius fasciatus	Numbat, Walpurti	Endangered	Endangered		
Notamacropus eugenii subsp.	Tammar Wallaby, Tammar	Priority 4	-		
derbianus					
Notamacropus irma	Western Brush Wallaby	Priority 4	-		
Perameles eremiana	Desert Bandicoot, walilya	Extinct	Extinct		
Petropseudes dahli	Rock Ringtail Possum,	Priority 3	-		
	Wogoit				
Phascogale tapoatafa	Brush-tailed Phascogale	Vulnerable	Vulnerable		
Phascogale tapoatafa subsp.	South-western Brushtailed	Conservation	-		
wambenger	Phascogale, Wambenger	Dependent			
Potorous platyops	Broad-faced Potoroo	Extinct	-		
Pseudocheirus occidentalis	Western Ringtail Possum,	Critically	Vulnerable		
	ngwayir	Endangered			
Reptiles					
Acanthophis antarcticus	Southern Death Adder	Priority 3	-		
Ctenotus delli	Dell's skink, Darling Range	Priority 4	-		
	southwest Ctenotus				
Lerista lineata	Perth Slider, Lined Skink	Priority 3	-		
Invertebrates		,			
Leioproctus douglasiellus	A short-tongued bee	Endangered	Critically		
			Endangered		
Neopasiphae simplicior	A native bee	Endangered	Critically		
			Endangered		
Euoplos inornatus	Inornate trapdoor spider	Priority 3	-		
	(northern Jarrah Forest)				
Idiosoma sigillatum	Swan Coastal Plain shield-	Priority 3	-		
	backed trapdoor spider				
Synemon gratiosa	Graceful Sunmoth	Priority 4	-		
Other		T			
Westralunio carteri	Carter's Freshwater Mussel,	Vulnerable	Vulnerable		
	Freshwater Mussel				
Geotria australis	Pouched Lamprey	Priority 3	-		
Glacidorbis occidentalis	Jarrah forest freshwater	Priority 3	-		
	snail, freshwater snail				
Fungi		T			
Amanita carneiphylla	-	Priority 3	-		
Amanita fibrillopes	-	Priority 3	-		
Amanita kalamundae	(Kalamunda Lepidella)	Priority 3	-		
Amanita wadjukiorum	-	Priority 3	-		
Xanthoparmelia darlingensis	-	Priority 1	-		
Xanthoparmelia subimitatrix	-	Priority 3	-		


Appendix 3: Threatened and Priority Flora

The classification and conservation listing of Threatened and Priority Flora known or likely to occur within the Shire of Serpentine Jarrahdale has changed since the 2008 Strategy, with updates and additions to the listings under the relevant State (*Biodiversity Conservation Act* 2016) and Federal (*Environment Protection and Biodiversity Conservation Act* 1999) legislation. A new list of threatened and priority flora is therefore presented here, to replace Appendix 17.4 in the 2008 Strategy. Descriptions of the criteria for the conservation categories can be found in the legislation and the 2008 Strategy.

Species Name	Conservation Category	
	WA	Federal
Acacia horridula	Priority 3	-
Acacia lasiocarpa var. bracteolata long peduncle variant	Priority 1	-
Acacia oncinophylla subsp. oncinophylla	Priority 3	-
Andersonia gracilis	Vulnerable	Endangered
Andersonia sp. Audax	Priority 3	-
Andersonia sp. Saxatilis	Priority 1	-
Angianthus drummondii	Priority 3	-
Anthocercis gracilis	Vulnerable	Vulnerable
Aponogeton hexatepalus	Priority 4	-
Austrostipa jacobsiana	Critically Endangered	Critically Endangered
Babingtonia urbana	Priority 3	-
Boronia tenuis	Priority 4	-
Bossiaea modesta	Priority 2	-
Caladenia huegelii	Critically Endangered	Endangered
Calectasia cyanea	Critically Endangered	Critically Endangered
Calothamnus graniticus subsp. leptophyllus	Priority 4	-
Carex tereticaulis	Priority 3	-
Dillwynia dillwynioides	Priority 3	-
Diuris micrantha	Vulnerable	Vulnerable
Diuris purdiei	Endangered	Endangered
Drakaea elastica	Critically Endangered	Endangered
Drakaea micrantha	Endangered	Vulnerable
Drosera occidentalis	Priority 4	-
Eleocharis keigheryi	Vulnerable	Vulnerable
Eryngium pinnatifidum subsp. palustre	Priority 3	-
Eucalyptus rudis subsp. cratyantha	Priority 4	-
Eucalyptus x balanites	Critically Endangered	Endangered
Grevillea crowleyae	Priority 2	-
Grevillea curviloba subsp. incurva	Endangered	Endangered
Grevillea flexuosa	Vulnerable	Vulnerable
Grevillea manglesii subsp. ornithopoda	Priority 2	-
Grevillea pimeleoides	Priority 4	-
Halgania corymbosa	Priority 3	-
Hemigenia platyphylla	Priority 4	-
Isopogon drummondii	Priority 3	-
Jacksonia gracillima	Priority 3	-
Johnsonia pubescens subsp. cygnorum	Priority 2	-
Lasiopetalum glutinosum subsp. glutinosum	Priority 3	-
Lasiopetalum pterocarpum	Critically Endangered	Endangered

Species Name	Conserva	Conservation Category	
	WA	Federal	
Lepidosperma rostratum	Endangered	Endangered	
Lepyrodia heleocharoides	Priority 3	-	
Levenhookia pulcherrima	Priority 2	-	
Meionectes tenuifolia	Priority 3	-	
Millotia tenuifolia var. laevis	Priority 2	-	
Paracaleana gracilicordata	Priority 1	-	
Paracaleana granitica	Priority 1	-	
Parsonsia diaphanophleba	Priority 4	-	
Pimelea rara	Priority 4	-	
Pithocarpa corymbulosa	Priority 3	-	
Schoenus capillifolius	Priority 3	-	
Schoenus pennisetis	Priority 3	-	
Schoenus sp. Waroona	Priority 3	-	
Senecio leucoglossus	Priority 4	-	
Stachystemon sp. Keysbrook	Priority 1	-	
Stackhousia sp. Red-blotched corolla	Priority 3	-	
Stylidium aceratum	Priority 3	-	
Stylidium longitubum	Priority 4	-	
Styphelia filifolia	Priority 3	-	
Synaphea odocoileops	Priority 1	-	
Synaphea sp. Fairbridge Farm	Critically Endangered	Critically Endangered	
Synaphea stenoloba	Critically Endangered	Endangered	
Synaphea sp. Pinjarra Plain	Endangered	Endangered	
Synaphea sp. Serpentine	Critically Endangered	Critically Endangered	
Tetraria australiensis	Vulnerable	Vulnerable	
Thysanotus anceps	Priority 3	-	
Thelymitra dedmaniarum	Critically Endangered	Endangered	
Thelymitra stellata	Endangered	Endangered	
Verticordia fimbrilepis subsp. fimbrilepis	Vulnerable	Endangered	
Verticordia lindleyi subsp. lindleyi	Priority 4	-	
Verticordia plumosa var. ananeotes	Critically Endangered	Endangered	

Appendix 4: Location of Vegetation Complexes





Visit us

6 Paterson Street Mundijong WA 6123

Contact us

- © 95261111
- @ info@sjshire.wa.gov.au

Connect with us

- sjshire.wa.gov.au
- facebook.com/shireofsj
- twitter.com/shireofsj
- instagram.com/unearthsj