










Development Agenda Report Template

Road Name Table	
Proposed Preferred Names	Background
<p>Road 1: Kickbush</p> 	<p>Kick Bush (<i>Astroloma Pallidum</i>) is a local native small shrub. The white/cream/ yellow flowers appear from May - Oct. Found in sand, loam & lateritic soils, often in winter-wet depressions.</p>
<p>Road 2: Flamepea</p> 	<p>Heart-leaf Flame Pea (<i>Chorizema Coradatum</i>) is a local native medium shrub. Its yellow/orange/red/pink flowers from Jul - Dec. It grows in a variety of soils near rock outcrops, on hills, along watercourses and winter-wet flats.</p>
<p>Road 3: Bluebell</p> 	<p>Australian Bluebell (<i>Billardiera Heterophylla</i>) is a local native small shrub or ground cover plant. It grows in a variety of soil types in open woodlands and heath. Flowers all year round, but mostly in Nov - Feb.</p>


Development Agenda Report Template

Road Name Table	
Proposed Preferred Names	Background
<p>Road 4: Smokebush</p> 	<p>Smokebush (<i>Conospermum Stoechadis</i>) is a local native medium sized shrub. It has white/grey flowers which appear from Jul - Dec. Prefers sand and laterite areas of soil.</p>
<p>Road 5: Dampiera</p>	<p>Dampiera is a genus of approximately 70 species of flowers. This includes such species as 'Common Dampiera', 'Terete-leaved Dampiera' and 'Angled-stem Dampiera', which are local native species found within the Shire.</p>
Reserve Names	Background
<p>Milkmaids</p> 	<p>Milkmaids (<i>Burchardia Congesta</i>) is a local native small flowering herb. It grows in a variety of soils and is found on sand dunes, plains, uplands, valley slopes, ridges, hillsides and tracks.</p>
<p>Woollybush</p> 	<p>Woolly Bush (<i>Adenanthos Cygnorum</i>) is a tall shrub endemic to the South-west region of Australia. Its flowers are white/cream/green/ pink appearing from Jul - Dec. Likes sand, clay, gravel and laterite soils.</p>

Development Agenda Report Template

Road Name Table	
Proposed Preferred Names	Background
<p>Moonah</p> 	<p>Moonah or Stout Paperbark (<i>Melaleuca Preissiana</i>) is a local native tree which grows to approximately 9m in height, usually in sandy or swampy conditions. The tree has white, cream or yellow flowers that appear between November to February.</p>
<p>Laeliae</p> 	<p>Butter Gum or the Darling Range Ghost Gum (<i>Eucalyptus Laeliae</i>) is a tall native to the western side of the Darling Scarp. The tree grows to 20m and when its white bark is shed it has a cream colour underneath (hence the name Butter Gum). The white flowers appears between Dec-Feb. It can be found in sandy clay or loam soils on hills and granite outcrops.</p>
<p>Leschenaultia</p> 	<p>Blue Leschenaultia (<i>Lechenaultia Bilboa</i>) and Free-flowering Leschenaultia (<i>Lechenaultia Floribunda</i>) are local native shrubs found within the Shire. They both have similar blue flowers.</p>

Development Agenda Report Template

Road Name Table	
Proposed Preferred Names	Background
<p style="text-align: center;">Marianthus</p> 	<p>Painted Marianthus (<i>Marianthus Bicolor</i>) is a local native ground cover. Its flowers are white/cream appearing Dec - May. It grows in sand, clay, loam, gravel, sandstone, laterite and granite.</p>
<p style="text-align: center;">Astroloma</p>	<p>A genus of native plants, which has been identified within the Briggs Park Reserve. This name was supported as a backup option for another road name application (OCM242/09/21) but was not used by Landgate.</p>
<p style="text-align: center;">Isotoma</p>	<p>A genus of native plants, which has been identified within the Briggs Park Reserve. This name was supported as a backup option for another road name application (OCM242/09/21) but was not used by Landgate.</p>